L Number	Hits	Search Text	DB	Time stamp
-	327	710/7	USPAT;	2003/12/02 17:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	600	710/00	IBM_TDB	
-	600	710/20	USPAT;	2003/12/02 17:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	955	710/36	USPAT;	2003/12/02 17:51
		7 107 00	US-PGPUB;	2003/12/02 17.31
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1138	710/62	USPĀT;	2003/12/02 17:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0.45	7.0.464	IBM_TDB	
_	345	710/64	USPAT;	2003/12/02 17:52
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	861	710/105	USPAT;	2003/12/02 17:52
	001	7107103	US-PGPUB;	2003/12/02 17:32
			EPO; JPO;	
-	-		DERWENT;	-
			IBM TDB	
_	277	710/313	USPĀT;	2003/12/02 17:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	157	710/314	USPAT;	2003/12/02 17:52
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT; IBM TDB	
_	304	710/315	USPAT;	2003/12/02 17:52
	304	7107313	US-PGPUB;	2003/12/02 17:32
			EPO; JPO;	
			DERWENT;	
	!		IBM TDB	
-	3917	710/7 or 710/20 or 710/36 or 710/62 or	USPĀT;	2003/12/02 17:52
		710/64 or 710/105 or 710/313 or 710/314 or	US-PGPUB;	
1		710/315	EPO; JPO;	
			DERWENT;	
	25	/710/7 on 710/20 on 710/20 or 710/20	IBM_TDB	2002/10/20 17 72
-	25	(710/7 or 710/20 or 710/36 or 710/62 or	USPAT;	2003/12/02 17:53
		710/64 or 710/105 or 710/313 or 710/314 or 710/315) and (small adj form adj factor)	US-PGPUB;	
		(small ad) form ad) factor)	EPO; JPO; DERWENT;	
			IBM TDB	
_	0	((710/7 or 710/20 or 710/36 or 710/62 or	USPAT;	2003/12/02 17:53
		710/64 or 710/105 or 710/313 or 710/314 or	US-PGPUB;	2003/12/02 17.33
		710/315) and (small adj form adj factor))	EPO; JPO;	
		and (protocol near3 convertion)	DERWENT;	
			IBM_TDB	
-	1	((710/7 or 710/20 or 710/36 or 710/62 or	USPĀT;	2003/12/02 17:55
		710/64 or 710/105 or 710/313 or 710/314 or	US-PGPUB;	
1		710/315) and (small adj form adj factor))	EPO; JPO;	
		and (protocol near3 conversion)	DERWENT;	
_	ا ۾	//710/7 05 710/20 710/20 710/20	IBM_TDB	0000/10/05 10 05
-	8	((710/7 or 710/20 or 710/36 or 710/62 or	USPAT;	2003/12/05 16:22
		710/64 or 710/105 or 710/313 or 710/314 or 710/315) and (small adj form adj factor))	US-PGPUB; EPO; JPO;	
		and conversion	DERWENT;	
		and convergion	IBM TDB	
			TDE 1 DD	

710/64 or 710/105 or 710/314 or 710/315 and (small adj form adj factor) and conversion) not ((710/7 or 710/20 or 710/313 or 710/314 or 710/313 or 710/314 or 710/705 or 710/70	2				
125		7	710/64 or 710/105 or 710/313 or 710/314 or 710/315) and (small adj form adj factor)) and conversion) not (((710/7 or 710/20 or 710/36 or 710/62 or 710/64 or 710/105 or 710/313 or 710/314 or 710/315) and (small adj form adj factor)) and (protocol near3	US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 15:42
-	_	125	(710/7 or 710/20 or 710/36 or 710/62 or 710/64 or 710/105 or 710/313 or 710/314 or 710/315) and (protocol near3 (conversion	US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 18:04
-	_	0	710/64 or 710/105 or 710/313 or 710/314 or 710/315) and (protocol near3 (conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 18:05
- (small adj form adj factor) same protocol near3 conversion USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWEN	_	0	710/64 or 710/105 or 710/313 or 710/314 or 710/315) and (protocol near3 (conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 18:05
-	_	1		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 16:23
258 bus with protocol near3 conversion	_	5		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 17:31
O (bus with protocol near3 conversion) same sff USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT;	_	258	bus with protocol near3 conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 17:54
O (bus with protocol near3 conversion) and sff USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	0		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 17:13
5	_	0		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 17:13
- 1687 small adj form adj factor USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	_	5		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 17:23
- 261 (small adj form adj factor).ti,ab. USPĀT; US-PGPUB; EPO; JPO; DERWENT;	_	1687	small adj form adj factor	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 17:33
	_	261	(small adj form adj factor).ti,ab.	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 17:33
l l — l — l	-	1		US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 17:33

Page 2

19 (small adj form adj factor) with bus US-PGFUB; EPO; JPO; DENNENT; US-PGFUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
350 (small adj form adj factor) and conversion SPO; JPO; DERWENT; IBM TOB USERT; OF SPORTS SPO	-	19	(small adj form adj factor) with bus		2003/12/05 17:35
-					
18M TOB USPAT: USPA				i .	
2003/12/05 17:44 USPAT: US					
US-PGPUB-FDD US-PGPUB-PDD US-P	-	350	(small adj form adj factor) and conversion		2003/12/05 17:44
DERMENT: IMM TOB CONVERSION and protocol CONVERSION CONVERSION CONVERSION and protocol CONVERSION CONV				US-PGPUB;	
140 ((small adj form adj factor) and (small adj form adj factor) and (small adj form adj factor) with bus) not ((small adj form adj factor) and (protocol) (small adj form adj factor) and (bus same conversion) (small adj form adj factor) and (bus same conversion) (small adj form adj factor) and (bus same conversion) (small adj form adj factor) and (bus same conversion) (small adj form adj factor) and (bus same conversion) (small adj form adj factor) and (protocol) (span) (sp				EPO; JPO;	
140				1	
Conversion and protocol US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J		140	(/amall add form add factor)		0000/10/05 17 05
Pepc, JPpc, DERNENT, IBM, TDB ((small adj form adj factor) with bus) not ((small adj form adj factor) and (protocol near3 conversion)) Pepc, JPpc,		140	, , , , , , , , , , , , , , , , , , , ,	1	2003/12/05 17:35
- 19 ((small adj form adj factor) with bus) not ((small adj form adj factor) and (protocol near3 conversion)) - ((small adj form adj factor) and (protocol with conversion)) not ((small adj form adj factor) and (protocol with conversion)) not ((small adj form adj factor)) not ((small adj form adj conversion)) - (small adj form adj factor) and (bus same conversion)) - (small adj form adj factor) and (bus same conversion)) - (small adj form adj factor) and (protocol near3 conversion)) - (small adj form adj factor) and (protocol near3 conversion)) - (small adj form adj factor) and (protocol near3 conversion) - (small adj form adj factor) - (s			conversion, and prococol		
19					
(small adj form adj factor) and (protocol near3 conversion)				IBM TDB	
near3 conversion)	_	19	((small adj form adj factor) with bus) not		2003/12/07 13:17
Community Comm					
S			nears conversion;)		
Comparison Com				1	
### with conversion) not ((small adj form adj factor) and (protocol near3 conversion)) ### dator) and (protocol near3 conversion) ### dator) and (protocol near3 conversion) ### dator) and (protocol adj factor) and (bus same conversion) ### conversion) ### device\$2) not ((small adj form adj factor) and (bus same conversion) ### device\$2) not ((small adj form adj factor) and (protocol near3 conversion) ### dator and (protocol near3 conversion) ### dator and (protocol near3 conversion) ### device\$2 ### dator and (protocol near3 conversion) ### device\$2 ### dator and (protocol near3 conversion) ### device\$2 ### dev	-	5	((small adj form adj factor) and (protocol		2003/12/05 17:41
Conversion				1	2000, 12, 00 1, 11
47					
47				· ·	
Conversion US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; TDDB US-PAT; US-PGPUB; TDDB US-PAT; US-PGPUB; TDDB US-PAT; US-PGPUB; TDDB US-PAT; US-P	_	17	(small add form add factor) and thus	_	2002/12/05 17 11
Compensation Comp		4,			2003/12/05 17:44
DERMENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERMENT; ISM TDB USPĀT; US-PGPUB; EPO; JPO; DERMENT; IBM TDB US-PGPUB; EPO; JPO; DERMENT; IBM					
TIBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JP					
device\$2) not ((small adj form adj factor) and (bus same conversion))				1	
and (bus same conversion)) SEPO; JPC; DERWENT; IBM TDB USPAT; EPO; JPC; DERWENT; IBM TDB USPAT; ISPO; JPC; DERWENT; IBM TDB USPAT; ISPO; JPC; DERWENT; IBM TDB USPAT; IBM TDB USPAT; ISPAT; I	-	65	(protocol adj conversion with bus with	1	2003/12/05 17:55
- S (small adj form adj factor) and (protocol near3 conversion) - (small adj form adj factor) and (protocol near3 conversion) - (small adj form adj factor) and (protocol with conversion) - (small adj form adj factor) and (protocol with T ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; USPGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; Same connector (mode\$2 with protocol near3 conversion) - 2 (mode\$2 with protocol near3 conversion) same connector (mode\$2 with protocol near3 conversion)			device\$2) not ((small adj form adj factor)		
Second content of the protocol near aconversion Second content of near aconversio			and (bus same conversion))		
Semall adj form adj factor) and (protocol near3 conversion)					
near3 conversion) Comparison	-	5	(small adj form adj factor) and (protocol		2003/12/07 13:14
- 10 (small adj form adj factor) and (protocol with conversion) - 66 protocol adj conversion with bus with device\$2 - 245 mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 0 (multiple or plurality) with mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion					2003/12/07 13:14
- 10 (small adj form adj factor) and (protocol with conversion) - 66 protocol adj conversion with bus with device\$2 - 245 mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 0 (multiple or plurality) with mode\$2 with protocol near3 conversion - 2 (mode\$2 with protocol near3 conversion) - 3 (mode\$2 with protocol near3 conversion) - 4 (mode\$2 with protocol near3 conversion) - 5 (mode\$2 with protocol near3 conversion) - 6 (mode\$2 with protocol near3 conversion) - 7 (mode\$2 with protocol near3 conversion) - 8 (mode\$2 with protocol near3 conversion) - 9 (mode\$2 with protocol near3 conversion) - 10 (mode\$2 with protocol near3 conversion) - 2 (mode\$2 with protocol near3 conversion) - 2 (mode\$2 with protocol near3 conversion) - 3 (mode\$2 with protocol near3 conversion) - 4 (mode\$2 with protocol near3 conversion) - 5 (mode\$2 with protocol near3 conversion) - 6 (mode\$2 with protocol near3 conversion) - 7 (mode\$2 with protocol near3 conversion) - 8 (mode\$2 with protocol near3 conversion) - 9 (mode\$2 with protocol near3 conversion) - 10 (mode\$2 with protocol near3 conversion)				EPO; JPO;	
- 10 (small adj form adj factor) and (protocol with conversion) - 66 protocol adj conversion with bus with device\$2 - 245 mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 0 (multiple or plurality) with mode\$2 with protocol near3 conversion - 2 (mode\$2 with protocol near3 conversion) - 3 (mode\$2 with protocol near3 conversion) - 4 (mode\$2 with protocol near3 conversion) - 5 (mode\$2 with protocol near3 conversion) - 6 (mode\$2 with protocol near3 conversion) - 7 (mode\$2 with protocol near3 conversion) - 8 (mode\$2 with protocol near3 conversion) - 9 (mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion) - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion - 10 (multiple or plurality) with mode\$2 with protocol near3 conversion				1	
with conversion) US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT;	_	10	(email add form add factor) and (nuctoral		0000/10/07 10 15
FPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;		10		· ·	2003/12/07 13:15
- 66 protocol adj conversion with bus with device\$2			The conversion,		
- 66 protocol adj conversion with bus with device\$2					
device\$2 Comparison Compar		_		IBM TDB	
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	-	66			2003/12/07 13:21
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT;			device\$2		
The mode\$2 with protocol near3 conversion The mode\$2 with protocol near3 wit					
The mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector 10 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector 10 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector 11 (multiple or plurality) with mode\$2 with protocol near3 conversion 12 (multiple or plurality) with mode\$2 with protocol near3 conversion 13 (multiple or plurality) with mode\$2 with protocol near3 conversion 14 (multiple or plurality) with mode\$2 with protocol near3 conversion 15 (multiple or plurality) with mode\$2 with protocol near3 conversion 16 (multiple or plurality) with mode\$2 with protocol near3 conversion 17 (multiple or plurality) with mode\$2 with protocol near3 conversion 18 (multiple or plurality) with mode\$2 with protocol near3 conversion 19 (multiple or plurality) with mode\$2 with protocol near3 conversion 2003/12/07 13:32				1	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT;	-	245	mode\$2 with protocol near3 conversion		2003/12/07 13:43
The state of the s				US-PGPUB;	
- 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 0 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector 10 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector 2 (mode\$2 with protocol near3 conversion) 2 (mode\$2 with protocol near3 conversion) 3 (mode\$2 with protocol near3 conversion) 4 (mode\$2 with protocol near3 conversion) 5 (mode\$2 with protocol near3 conversion) 6 (mode\$2 with protocol near3 conversion) 7 (mode\$2 with protocol near3 conversion) 8 (mode\$2 with protocol near3 conversion) 9 (mode\$2 with protocol near3 conversion) 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 10 (multiple or plurality) with mode\$2 with protocol near3 conversion 20 (mode\$2 with protocol near3 conversion) 20 (mode\$2 with protocol near3 conversion) 20 (mode\$2 with protocol near3 conversion)					
(multiple or plurality) with mode\$2 with protocol near3 conversion (multiple or plurality) with mode\$2 with protocol near3 conversion same connector (multiple or plurality) with mode\$2 with protocol near3 conversion same connector (multiple or plurality) with mode\$2 with protocol near3 conversion (multiple or plurality) with mode\$2 with protocol near3 conversion (multiple or plurality) with mode\$2 with USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; (mode\$2 with protocol near3 conversion) Same connector (mode\$2 with protocol near3 conversion) Same connector (mode\$2 with protocol near3 conversion) Same connector	.				
protocol near3 conversion O (multiple or plurality) with mode\$2 with protocol near3 conversion same connector O (mode\$2 with protocol near3 conversion) C (mode\$2 with protocol near3 conversion) Same connector DERWENT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; Same connector DERWENT;	_	10	(multiple or plurality) with modes?+		2003/12/07 12:30
- 0 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector (mode\$2 with protocol near3 conversion) 2 (mode\$2 with protocol near3 conversion) 2 (mode\$2 with protocol near3 conversion) 2 (mode\$2 with protocol near3 conversion) 3 (mode\$2 with protocol near3 conversion) 4 (mode\$2 with protocol near3 conversion) 5 (mode\$2 with protocol near3 conversion) 6 (mode\$2 with protocol near3 conversion) 7 (mode\$2 with protocol near3 conversion) 8 (mode\$2 with protocol near3 conversion) 9 (mode\$2 with protocol near3 conversion) 9 (mode\$2 with protocol near3 conversion) 10 (mode\$2 with protocol near3 conversion) 11 (mode\$2 with protocol near3 conversion)		10			2003/12/0/ 13:32
- 0 (multiple or plurality) with mode\$2 with protocol near3 conversion same connector (mode\$2 with protocol near3 conversion) - 2 (mode\$2 with protocol near3 conversion) same connector (mode\$2 with protocol near3 conversion) - 2 (mode\$2 with protocol near3 conversion) conversion (mode\$2 with protocol near3 conversion)		}	F	, ,	
(multiple or plurality) with mode\$2 with protocol near3 conversion same connector (mode\$2 with protocol near3 conversion) (mode\$2 with protocol near3 conversion) 2 (mode\$2 with protocol near3 conversion) same connector (mode\$2 with protocol near3 conversion) 2 (mode\$2 with protocol near3 conversion) Same connector (mode\$2 with protocol near3 conversion) DERWENT;					
protocol near3 conversion same connector US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; Same connector US-PGPUB; EPO; JPO; DERWENT;		_			
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;	-	0	(multiple or plurality) with mode\$2 with		2003/12/07 13:32
- 2 (mode\$2 with protocol near3 conversion) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;]	protocol near3 conversion same connector		
- 2 (mode\$2 with protocol near3 conversion) IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;		İ			
- 2 (mode\$2 with protocol near3 conversion) USPAT; US-PGPUB; EPO; JPO; DERWENT; 2003/12/07 13:32					
same connector US-PGPUB; EPO; JPO; DERWENT;	-	2	(mode\$2 with protocol near3 conversion)	_	2003/12/07 13:32
EPO; JPO; DERWENT;	1				, - :
TBM TDB					
	L			TRW_LDB	

· •		· · · · · · · · · · · · · · · · · · ·		
<u> </u>	324513	modes or mode with protocol near3	USPAT;	2003/12/07 13:46
		conversion with bus	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	,
			IBM TDB	
-	749	(modes or mode with protocol near3	USPAT;	2003/12/07 13:44
		conversion with bus) with connector	US-PGPUB;	1
		·	EPO; JPO;	1
			DERWENT;	
			IBM TDB	
_	2347303	((modes or mode with protocol near3	USPAT;	2003/12/07 13:44
		conversion with bus) with connector) with	US-PGPUB;	
		multiple or plurality	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	(((modes or mode with protocol near3	USPAT;	2003/12/07 13:45
		conversion with bus) with connector) with	US-PGPUB;	2000, 12, 0, 10.10
		(multiple or plurality)) same (small adj	EPO; JPO;	
		form adj factor)	DERWENT;	
			IBM TDB	
_	79	((modes or mode with protocol near3	USPAT:	2003/12/07 13:45
		conversion with bus) with connector) with	US-PGPUB;	2003, 12, 0, 13.10
		(multiple or plurality)	EPO; JPO;	
		(maratpro or praratroj)	DERWENT;	
			IBM TDB	
-	2	(modes or mode) with protocol near3	USPAT;	2003/12/07 13:47
ļ		conversion with bus	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(modes or mode) with (protocol near3	USPĀT;	2003/12/07 13:47
	_	conversion) with (bus or buses)	US-PGPUB;	=====
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	((modes or mode) same (protocol near3	USPĀT;	2003/12/07 13:48
	1	conversion) same (bus or buses)) same	US-PGPUB;	
		(connector or connectors)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	25	(modes or mode) same (protocol near3	USPAT;	2003/12/07 13:48
		conversion) same (bus or buses)	US-PGPUB;	= 110, = 2, 0: 20:10
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
	!	landaria de la companya del companya del companya de la companya d	1 2211_122	1

Page 4